Product solutions for

Improved Vision

2022/2023



Who we are

ImproVision is a subsidiary of SCHWEIZER and services the company's global export activities. Established in 1840, SCHWEIZER is one of the oldest owner-managed companies in the German ophthalmic optics sector and boasts one of the world's largest ranges of specialist visual optical aids.

SCHWEIZER stands for many firsts in low vision care – be it the world's first modular magnifier system with interchangeable magnification heads, the world's first LED illuminated magnifier, the world's first ergonomic magnifier or the world's first magnifier with inductive charging.

Unrivalled quality is another pillar of SCHWEIZER's strategy. All its illuminated and reading magnifiers are still

Made in Germany

at the company's German headquarters in Forchheim.

What we offer

- Global access to SCHWEIZER's range of product solutions for improved vision in addition to our own range of high addition and light protection spectacles.
- Professional advice, technical expertise and bespoke support to help our partners grow their business.
- Regular and comprehensive professional training, be it in the classroom or online through our partner www.optik-akademie.com.



Hotline

Phone: +49-9191-72 10 56

Fax: +49-9191-72 10 73

E-mail: info@improvision-lvs.com

More...

... about us and our range of product solutions can be found at

www.improvision-lvs.com or www.schweizer-optik.co

| High addition spectacles | 4 |
|-----------------------------|----|
| Magnifiers | 7 |
| Video magnifiers | 29 |
| LowVision lamps | 30 |
| Light protection spectacles | 34 |
| Telescopes | 41 |
| Miscellaneous | 49 |





High Addition Spectacles

The retinal image can be enlarged by reducing the distance between the object and the eye below the normal reading distance (relative distance or approach magnification).

However, the presbyopic eye is no longer able to focus on objects at such a close distance. This loss of accommodative ability requires corrective optics such as high addition spectacles.

Patients with binocular potential need glasses with base-in prisms to support convergence.

Contents

| Prismatic half-eye spectacles | Ę |
|---------------------------------|---|
| Microscopic half-eye spectacles | Ę |
| Displays | 6 |

BINO med S2

Prismatic half-eye spectacles with a pair of high addition lenses including prisms to support convergence for binocular close distance magnification.

- Spherical CR 39 lenses
- Metal frame in 2 colours in size 40-25, temple length 142 mm
- Supplied with protective case
- Made in Germany






IV PRISMATIC

Prismatic half-eye spectacles with a pair of high addition lenses including prisms to support convergence for binocular close distance magnification.

- Spherical CR 39 lenses
- Black polymer frame
- Supplied with protective case
- Made in Sweden



IV MICROSCOPIC


Microscopic half-eye spectacles with one high addition lenticular lens and one CR 39 plano lens on the other side for monocular close distance magnification.

- Spherical CR 39 lenses
- Black polymer frame
- Supplied with protective case
- Made in Sweden



Display box high addition spectacles

Display box with lid made from solid white carton for 12 high addition spectacles of your choice.



POS display high addition spectacles

POS display made from solid carton for 6 high addition spectacles of your choice, with exchangeable insert at the front.







Magnifiers are one of the traditional aids to improve vision and are thus a preferred solution for visually impaired people. They are used wherever it is necessary to enlarge an image. Be it for reading, in cases of reduced visual acuity, or to see details more clearly in hobby or leisure activities.

Illuminated magnifiers combine such an enlarged image with the advantages of optimised lighting. Individually tested light temperatures improve contrast vision and thus visual acuity. Modern illuminated magnifiers are mainly battery-operated. One of the latest innovations in this field uses wireless charging and thus eliminates the need to replace batteries.

Contents

| LED illuminated hand magnifiers | 3 |
|----------------------------------|----|
| LED illuminated stand magnifiers | 17 |
| Aspheric hand magnifiers | 22 |
| Biconvex hand magnifiers | 23 |
| Special magnifiers | 24 |
| Pocket magnifiers | 27 |
| Display | 28 |

ERGO-Lux i mobil

ERGO-Lux i mobil – the lifestyle magnifier with inductive charging. In addition to 2 brightness levels and a choice of 3 light temperatures, the key advantage of this new magnifier lies in its wireless charging capability which eliminates the need to replace batteries.

- Power supply by induction (Qi standard) no battery replacement, no cable inserted into the magnifier
- Easy-to-feel boost switch provides audible feedback when operated and controls 2 brightness levels for optimised lighting
- Rechargeable lithium-polymer battery with 7-hour operating time at boost level and max. 3-hour charging time; just 10 min. charging needed for 1 hour light
- High contrast, even spread of light thanks to ideal adjustment of light intensity
- Ergonomic design and soft-touch zone for extra grip strength and pleasant feel in timeless white/charcoal grey
- Convenient integrated lanyard loop
- Aspheric lightweight lenses
- Supplied with microfibre pouch for storage and cleaning
- Order any of these magnifiers without charging pad, USB cable and USB power adapter by taking -1 off the item no. (e.g. 152122)
- Light temperatures: **2700 K 4500 K 6500 K**













Accessories 150012 USB power adapter for ERGO-Lux i mobil charging pad 180902 Lanyard 180912 Wrist strap Charcoal grey, pack of 5 Charcoal grey, pack of 5

Boxes ERGO-Lux i mobil



Box ERGO-Lux imobil with 2 pads and USB adapters

150202 150402 **150602**

Contents: 16 D Ø 60 mm, 10 D 75x50 mm right-handed, 8 D Ø 85 mm, 2x charging pad with USB cable and USB power adapter



Box 3 ERGO-Lux imobil

150232 150432 **150632**

Contents: 56 D Ø 35 mm, 48 D Ø 35 mm, 39 D Ø 35 mm, 10 D 75x50 mm straight and left-handed, 8 D 100x75 mm left-handed



Box 2 ERGO-Lux imobil

150222 150422 **150622**

Contents: 28 D Ø 35 mm, 24 D Ø 55 mm, 20 D Ø 55 mm, 16 D Ø 35 mm, 16 D Ø 60 mm, 12 D Ø 70 mm



Box 1 ERGO-Lux imobil

150212 150412 **150612**

Contents: 12 D \oslash 35 mm, 10 D 75x50 mm right-handed, 8 D \oslash 85 mm, 8 D 100x75 mm right-handed, 6 D \oslash 100 mm

ERGO-Lux MP mobil

Portable lifestyle magnifier with multi-chip SMD LED and Multi-Power light option in a choice of 3 light temperatures.


- Easy-to-feel boost switch provides audible feedback when operated and controls 2 brightness levels for optimised lighting
- 10-hour operating time at boost level, approx. 18 hours at level 1
- High contrast, even spread of light thanks to ideal adjustment of light intensity
- Ergonomic design and soft-touch zone for extra grip strength and pleasant feel in timeless white/charcoal grey
- Easy battery replacement thanks to simple closing mechanism in the handle which locks with a distinct click
- Convenient integrated lanyard loop
- Aspheric lightweight lenses
- Supplied with microfibre pouch for storage and cleaning
- 3 AAA alkaline batteries required
- Light temperatures: **2700 K 4500 K 6500 K**

Items can be ordered with or without the necessary batteries as per price list.













Contents: 12 D Ø 35 mm, 10 D 75x50 mm right-handed, 8 D Ø 85 mm, 8 D 100x75 mm right-handed, 6 D Ø 100 mm, 20 consumer flyers, approx. size (WxHxD): 27.5x28.0x16.5 cm

162032 164032 **166032**

Contents: 10 D 75 \times 50 mm straight, 10 D 75 \times 50 mm right-handed, 10 D 75 \times 50 mm left-handed, 8 D 100 \times 75 mm right-handed, 8 D 100 \times 75 mm left-handed, 20 consumer flyers, approx. size (WxHxD): 27.5 \times 28.0 \times 16.5 cm

Boxes ERGO-Lux MP mobil



Box 3 ERGO-Lux MP mobil

162002 164002 **166002**

Contents: 56 D \oslash 35 mm, 48 D \oslash 35 mm, 39 D \oslash 35 mm, 10 D 75x50 mm straight and left-handed, 8 D 100x75 mm left-handed



Box 2 ERGO-Lux MP mobil

162022 164022 **166022**

Contents: 28 D Ø 35 mm, 24 D Ø 55 mm, 20 D Ø 55 mm, 16 D Ø 35 mm, 16 D Ø 60 mm, 12 D Ø 70 mm




Box 1 ERGO-Lux MP mobil

162012 164012 166012

Contents: 12 D Ø 35 mm, 10 D 75x50 mm right-handed, 8 D Ø 85 mm, 8 D 100x75 mm right-handed, 6 D Ø 100 mm







ERGO mobil Base

The ERGO mobil Base reading and writing stand converts any ERGO-Lux MP mobil or ERGO-Lux i mobil hand magnifier into a stand magnifier WITHOUT COMPROMISING image quality. Easy-to-use stand for comfortable reading at exactly the right distance to the object viewed.

ERGO mobil Base up to 24 D can also be used in an upright position, leaving both hands completely free for close-up work.

- Versatile design enables use in different positions ideal for work where both hands are required
- Suitable for left and right-handed use
- Black matt, textured surface promotes stable grip
- For mobile use, simply remove the magnifier from the stand
- A total of 12 stands in individual heights are available for the different magnifier powers, ranging from 6 D to 56 D to provide exactly the right distance to the object viewed
- Suitable ERGO-Lux MP/ERGO-Lux i mobil magnifiers available separately



suitable for 39 D / Ø 35 mm

suitable for 24 D / Ø 55 mm

suitable for 16 D / Ø 35 mm

suitable for 8 D / Ø 85 mm

straight, right-handed,

suitable for 10 D / 75 x 50 mm,

and 16 D / Ø 60 mm

160242

160162

160092

160102

left-handed

suitable for 28 D / Ø 35 mm

suitable for 20 D / Ø 55 mm

suitable for 12 D / Ø 35 mm

suitable for 6 D / Ø 100 mm

suitable for 8 D / 100 x 75 mm,

and 12 D / Ø 70 mm

160202

160122

160062

160082

right-handed,

left-handed





ÖKOLUX plus mobil


Portable magnifier with multi-chip SMD LED in a choice of 3 light temperatures.


- Very bright, consistent and high-contrast light through the special light emitting diode
- Easy battery replacement thanks to hinged battery box cover
- Convenient integrated lanyard loop
- Aspheric lightweight lens
- Supplied with microfibre pouch for storage and cleaning
- 3 AAA alkaline batteries required
- Light temperatures: **2700 K 4500 K 6500 K**

Items can be ordered with or without the necessary batteries as per price list.



















Box ÖKOLUX plus mobil low power lenses

132042 134042 136042

Contents: 16 D Ø 60 mm, 12 D Ø 70 mm, 10 D 75 x 50 mm straight, 10 D 75 x 50 mm right-handed, 8 D Ø 85 mm, 6 D Ø 100 mm



ERGO-Lux MP

Lifestyle magnifier with multi-chip SMD LED and Multi-Power light option in a choice of 3 light temperatures.


- Easy-to-feel boost switch provides audible feedback when operated and controls 2 brightness levels for optimised lighting
- High contrast, even spread of light thanks to ideal adjustment of light intensity
- Ergonomic design supports hand and arm for relaxed, stress-free position
- Correct distance between the object and the lens is found automatically when the handle end rests on the object
- Easy battery replacement thanks to hinged battery box cover
- Aspheric lightweight lens
- Supplied with microfibre pouch for storage and cleaning
- 3 AAA alkaline batteries required
- Order any of these magnifiers as a complete set including ERGO-Lux Base by adding –SET to the item no. (e.g. 170162-SET)
- Light temperatures: **2700 K 4500 K 6500 K**

Items can be ordered with or without the necessary batteries as per price list.









ERGO-Lux Base

The ERGO-Lux Base fixed-focus holder converts the ERGO-Lux MP into the perfect illuminated stand magnifier.

- Patented magnetic design for easy connection without wear and tear
- Easy scrolling on the object
- Comfortable reading position thanks to tilt feature in the holder which locks into place for firm and stable hold
- Suitable for right and left-handed use of all round lenses
- Bright holder material colour enhances illumination provided by ERGO-Lux MP
- Portable through easy separation of magnifier and holder








ÖKOLUX plus

Battery operated illuminated stand magnifier with a multi-chip SMD LED in a choice of 3 light temperatures.


- Tilt of 8 D magnification head convertible for right or left-handed use
- Very bright, consistent and high-contrast light through the special light emitting diode
- Ideal illumination of the reading material or viewing object enhanced by light-coloured material of the closed magnification head
- Easy battery replacement thanks to hinged battery box cover
- Aspheric lightweight lens
- Supplied with microfibre pouch for storage and cleaning
- 3 AA alkaline batteries required
- Light temperatures: **2700 K 4500 K 6500 K**

Items can be ordered with or without the necessary batteries as per price list.















140292 Box ÖKOLUX plus high power lenses for testing

Contents: Heads 56 D, 48 D, 39 D, 28 D and handles 2700 K, 4500 K, 6500 K



140252 Box ÖKOLUX plus medium/low power lenses for testing

Contents: Heads 24 D, 20 D, 16 D, 12 D, 8 D and handles 2700 K, 4500 K, 6500 K



Box ÖKOLUX plus high power lenses

142292 144292 **146292**

Contents: 56 D, 48 D, 39 D, 28 D



Box ÖKOLUX plus medium/low power lenses

142092 144092 146092

Contents: 20 D, 16 D, 12 D, 8 D

Accessories

155002 Battery AA


Alkaline, pack of 3

MODULAR LED

Battery operated illuminated stand magnifier with 3 multi-chip SMD LEDs in a choice of 3 light temperatures.

- Easily interchangeable open magnification heads, available in different magnification powers
- Possibility to write under the low power lenses
- Adjustable head tilt for right or left-handed use
- Very bright, consistent and high-contrast light through
 3 precisely aligned special light emitting diodes
- Easy battery replacement thanks to hinged battery box cover
- Aspheric lightweight lens
- Supplied with microfibre pouch for storage and cleaning
- 3 AA alkaline batteries required
- Light temperatures: **2700 K 4500 K 6500 K**

Items can be ordered with or without the necessary batteries as per price list.











TWIN-Lux MP

Illuminated stand magnifier with Multi-Power light option and three multi-chip SMD LEDs in a choice of 3 light temperatures.

- Easy-to-feel boost switch provides audible feedback when operated and controls 2 brightness levels for optimised lighting
- Very bright, consistent and high-contrast light through 3 precisely aligned multi-chip SMD LEDs
- Comfortable reading posture through ergonomically tilted design
- 3.5 x magnification thanks to aspheric lightweight lenses placed at an accurately computed distance
- Wide field of view covers the entire span of a typical newspaper column
- 20-hour operating time at boost level
- Supplied with microfibre pouch for storage and cleaning
- 3 AA alkaline batteries required
- Light temperatures: **2700 K 4500 K 6500 K**

Items can be ordered with or without the necessary batteries as per price list.








SEMPRAL

Classic reading magnifier in an elegant design.

- Convenient integrated lanyard loop
- Aspheric lightweight lens
- Supplied with microfibre pouch for storage and cleaning






BOY, SIR, BOSS

Hand magnifier with folding stand and folding handle.

- Folding stand made from metal with adjustable tilt
- Aspheric lightweight lens
- Supplied with microfibre pouch for storage and cleaning





CLASSIC

Reading magnifier with matt black round polymer handle and premium chrome-plated brass mount.

- Biconvex glass lens
- Supplied with microfibre pouch for storage and cleaning

516002 10 D / Ø 65 mm 519002 4 D / Ø 90 mm

BIFOCUS

Reading magnifier with matt black round polymer handle and premium chrome-plated brass mount.

- Biconvex glass lens and additional lens (Bifo)
- Supplied with microfibre pouch for storage and cleaning





Visolett® magnifier

Bright field magnifier made from glass.

Bright field magnifier

Bright field magnifier made from acrylic glass.

- Concave bottom prevents scratching
- Black cloth pouch included





Reading bar

Reading bar made from clear optical plastic.

- Integrated handle recess
- Vertical magnification
- Supplied with microfibre pouch for storage and cleaning









Needlework magnifier

Ideal magnifier for needlework made from transparent acrylic.

- Adjustable neck cord
- Biconvex lightweight lens with higher power insert to see details more clearly

Table top magnifier with glass lens

- Cast base coated with black polymer Ø 130 mm
- 300 mm flexible metal gooseneck arm
- Aplanatic optical system in chrome-plated metal mount

Table top magnifier with lightweight lens

- Cast base coated with black polymer Ø 130 mm
- 300 mm flexible metal gooseneck arm
- Aspheric lightweight lens in black plastic mount

LED illuminated table top magnifier

Versatile magnifier integrated in table top lamp for work, art, crafting, reading, hobbies and many other close-up activities.

- Solid table base ensures overall stability
- Flexible gooseneck arm allows for 3-dimensional positioning of the magnifier
- Durable and energy-efficient LED module provides perfect illumination of every object
- High-quality, scratch-resistant biconvex glass lens for clear images
- Light temperatures: **2700 K 4500 K 6500 K**









RIDO-Clip

Clip-on magnifier

- 2 joined lenses including prisms to support convergence
- Clips to the spectacles of the wearer
- 3 different magnification powers
- Hard coating
- Solid case included



In comparison with standard magnifiers, this clip-on magnifier has **some advantages:**

- Lightweight
- Wide field of view
- Base-in prisms improve eye convergence
- Simply clips onto spectacles for ease of use
- Allows hands-free activities








ERGO-Pocket

Ergonomic pocket magnifier in a modern style.

- A single movement of the hand reveals the lens
- Convenient integrated lanyard loop
- Timeless colour combination of white and charcoal grey
- Aspheric lightweight lens







Folding magnifier ECONOMIC

Classic pocket magnifier in an elegant design.

- Mount made from transparent plastic
- Housing made from strong grain leather
- Biconvex glass lens





Display SlimLine

Floor stand display to promote sales of SCHWEIZER magnifiers. Appealing product exhibition in a modern silver anodised finish. Fits in every ambiance.

- Well-arranged and clear presentation of products
- Easy to handle
- Attractive teaser
- Flexible positioning, moves smoothly on 4 castors (lockable)
- Holds up to 8 boxes (includes 4 box holders, additional box holders available separately)
- Single package for convenient shipment



28 **Magnifiers** – Display





In most cases, visually impaired people can improve their vision with traditional optical aids. In some situations, electronic solutions can be of further help. The video magnifiers featured in the SCHWEIZER eMag series provide additional options to improve vision around the home or on the go.

Please refer to www.improvision-lvs.com for detailed information on these products





One of the key elements of low vision solutions is the provision of special lighting to suit the patient's individual needs.

Multiple studies conducted with visually impaired people have shown that the provision of appropriate lighting can significantly improve visual acuity. An individually tested light temperature is more pleasant and improves visibility for reading or other close tasks noticeably. Optimised lighting can often significantly reduce the magnification power otherwise required.

The innovative MULTILIGHT Pro lamp series by SCHWEIZER has been developed with the user's needs in mind and is ideal for all visually impaired people.

Made in Germany not only stands for sophisticated technology and maximum durability thanks to selected materials, but also for an elegant design and intelligent functionality – produced locally in Forchheim/Germany.

Contents

| General information about MULTILIGHT Pro | | | | |
|--|---|--|--|--|
| MULTILIGHT Pro | 3 | | | |


General information about MULTILIGHT Pro

Designed for visually impaired people, the MULTILIGHT Pro LED lamp series features numerous innovative ideas.

- 9 different product versions for multiple applications
- Large central control panel in contrasting colour for easy one-touch operation
- Audible ON/OFF feedback
- Low energy consumption and high performance
- Available in 3 light temperatures (warm white 2700 K, neutral white 4500 K and cool white 6500 K)
- Features the tried and tested LEDs of SCHWEIZER's illuminated magnifiers no mixing of light temperatures!
- 2 brightness levels (100% and 70%)
- Lithium-ion battery with approx. 4-hour operating time and approx. 3-hour charging time
- Easy-to-recognise battery status
- Flexible positioning of lamp ensures optimal lighting while minimising glare
- Black matte surface prevents irritating reflections
- Robust polymer housing facilitates cleaning
- Maximum user comfort thanks to large locking levers
- Recessed connector socket and round barrel connector facilitate plug-in
- Made in Germany









MULTILIGHT Pro Table

The table lamp is available in different versions: mains or battery (rechargeable) operated, in one or three light temperatures, with standard or extended arm, with foot or table clamp. The perfect lamp for every situation.

- Versatile in use thanks to long power cord for mains operation or with rechargeable battery
- Lamp head can be swivelled in any direction and even pulled right down to the table top
- Foldable design for space-saving storage; standard arm versions also ideal for mobile use
- Table lamp with clamp is rotatable
- Light temperatures: **2700 K 4500 K 6500 K**



MULTILIGHT Pro Table Akku 3in1, rechargeable battery, 3 light temperatures

941103

Foot dimensions (WxDxH): approx. $13.5 \times 17.5 \times 12.0$ cm Arm segment length (hinge-to-hinge): approx. 30 cm Weight: approx. 1.62 kg; charging cable 150 cm All 3 light temperatures individually selectable Lithium-ion battery

MULTILIGHT Pro Table Akku, rechargeable battery

941123 941143 941163

Foot dimensions (WxDxH): approx. 13.5 x 17.5 x 12.0 cm Arm segment length (hinge-to-hinge): approx. 30 cm Weight: approx. 1.62 kg; charging cable 150 cm Lithium-ion battery

MULTILIGHT Pro Table, mains operated

941023 941043 941063

Foot dimensions (WxDxH): approx. 13.5 x 17.5 x 12.0 cm Arm segment length (hinge-to-hinge): approx. 30 cm Weight: approx. 1.52 kg; power cord: 150 cm

$\label{eq:multilight} \textbf{MULTILIGHT Pro Table XL}, \ mains \ operated, \ extended \ arm$

942023 942043 942063

Foot dimensions (WxDxH): approx. 13.5 x 17.5 x 12.0 cm Arm segment length (hinge-to-hinge): approx. 30 cm Weight: approx. 3.65 kg; power cord: 150 cm

MULTILIGHT Pro Table XL Clamp, mains operated, extended arm, clamp

943023 943043 943063

Arm segment length (hinge-to-hinge): approx. 30 cm Maximum clamp opening: 5.3 cm Weight: approx. 1.2 kg; power cord: 150 cm

MULTILIGHT Pro Floor

Powerful floor lamp in slim design that stands rock solid.

- Available in one or three light temperatures
- Directs the light where it is needed thanks to standard arm for confined spaces or extended arm for greater flexibility
- Rotatable
- Light temperatures: **2700 K 4500 K 6500 K**



MULTILIGHT Pro Floor 3in1, mains operated, 3 light temperatures

945003

Lamp pole height: approx. 96 cm; base \varnothing : approx. 28 cm Arm segment length (hinge-to-hinge): approx. 30 cm

Weight: approx. 3.5 kg Power cord: 150 cm

All 3 light temperatures individually selectable

MULTILIGHT Pro Floor, mains operated

945023 945043 945063

Lamp pole height: approx. 96 cm; base \emptyset : approx. 28 cm Arm segment length (hinge-to-hinge): approx. 30 cm

Weight: approx. 3.5 kg Power cord: 150 cm

MULTILIGHT Pro Floor XL 3in1, mains operated, extended arm, 3 light temperatures

944003

Lamp pole height: approx. 96 cm; base \varnothing : approx. 28 cm Arm segment length (hinge-to-hinge): approx. 30 cm

Weight: approx. 3.8 kg Power cord: 150 cm

All 3 light temperatures individually selectable

MULTILIGHT Pro Floor XL, mains operated, extended arm

944023 944043 944063

Lamp pole height: approx. 96 cm; base Ø: approx. 28 cm Arm segment length (hinge-to-hinge): approx. 30 cm

Weight: approx. 3.8 kg Power cord: 150 cm





Light protection spectacles

People with reduced visual acuity often also experience lower contrast sensitivity.

Decreased contrast sensitivity may arise from cloudy ocular media, retinal deposits, the loss of receptor cells or similar.

Special blue blocking or comfort filters provide help in this context and enhance the ability to see in contrast.

Contents

| General information about filters | 35 |
|-----------------------------------|----|
| Filter lenses and properties | 36 |
| Fit-Over spectacles | 37 |
| Wrap-Around spectacles | 40 |

Comfort filter (CF)

medi-lens special filter lenses with "blue attenuating properties" minimise the effects of blue light from natural and artificial light sources. In addition to preventing light-induced damage to the retina, they increase contrast vision in everyday life and are ideal for sports and leisure activities as well as at work. They selectively filter out the blue portion of sunlight, which often superimposes itself on the other colours, to an ideal level. Some of the filters pass the standards for traffic signal requirements. By improving the contrast of objects in diffused or dim lighting, they provide a more natural visual experience.

The **medi-lens Comfort filter CF-LED** has been specifically developed for computer work and reduces eye strain caused by LED light sources.

The medi-lens Comfort filter MIGRAINE-Comfort 22 and MIGRAINE-Comfort 37 can significantly reduce eye strain caused by light and glare sensitivity, computer screen and fluorescent lighting. Whether worn indoors or outdoors, the light-coloured lenses provide relief in the event of a migraine attack or headache. Since the change in colour perception is minimal, wearers get used to them in next to no time. The lenses can be combined with an additional polarising filter and also worn as fit-over spectacles or sunglasses.


Blue blocker (BB)


medi-lens special filter lenses with "blue light blocking" properties offer maximum protection against short-wavelength light emitted by natural and artificial light sources while optimising contrast vision. They are primarily used in medical treatment. In terms of transmission and absorption, these filter lenses feature a sharp "edge" in the visible light range, i.e. a sudden transition from high-transmission to high-rejection of wavelengths in the electromagnetic spectrum. They cut off part of the light spectrum at a defined point and absorb all high-energy UV light and the blue portion of visible light below this point. Blue blockers up to 450 nm are suitable for day driving.


Polarising filter


By combining contrast-enhancing filters with an additional polarising filter, reflections can be reduced even more without impairing contrast vision.

Polarising filters minimise glare and reflections from horizontal surfaces such as flat, horizontal floors or wet streets. POL1 filters come with a grey basic tint of 65%, POL3 filters with 85%.









Comfort filter (CF)

| Comfort filter (CF) | CF LED | CF C1 | CF C500 | CF MIGRAINE 22 | CF MIGRAINE 37 | CF CATARACT Indoor | CF CATARACT Outdoor |
|------------------------|--------|-------|---------|-------------------|-------------------|-----------------------|------------------------|
| Filter category | 0 | 0 | 1 | 1 | 1 | 1 | 2 |
| Tint | 10% | 12% | 24 % | 22 % | 37 % | 14-54% | 14-84% |
| Transmission | 90 % | 88 % | 76 % | 78 % | 63 % | 46-86 % | 16-86% |
| Suitable for | | | _ | | | | |

| Comfort filter with POL 1 | CF LED POL 1 | CF C1 POL 1 | CF C500 POL 1 | CF MIGRAINE 22 POL 1 | CF MIGRAINE 37 POL 1 |
|---------------------------|-----------------|----------------|------------------|-------------------------|-------------------------|
| Filter category | 2 | 2 | 2 | 2 | 2 |
| Tint | 66 % | 73% | 75 % | 74 % | 79 % |
| Transmission | 34 % | 27% | 25 % | 26 % | 21 % |
| Suitable for | | | _ | | |

| Comfort filter with POL 3 | CF LED POL 3 | CF C1 POL 3 | CF C500 POL 3 | CF MIGRAINE 22 POL 3 | CF MIGRAINE 37 POL 3 |
|---------------------------|-----------------|----------------|------------------|-------------------------|-------------------------|
| Filter category | 3 | 3 | 3 | 3 | 3 |
| Tint | 85 % | 86 % | 89 % | 89 % | 91 % |
| Transmission | 15% | 14% | 11 % | 11 % | 9% |
| Suitable for | | | _ | | - |

Blue blocker (BB)

| Blue blocker (BB) | BB 400 | BB 450 | BB 470 | BB 511 | BB 527 | BB 550 | BB 585 |
|-------------------|--------|--------|--------|--------|--------|--------|--------|
| Filter category | 0 | 0 | 1 | 1 | 1 | 2 | 2 |
| Tint | 7 % | 15% | 40 % | 42% | 50 % | 77 % | 80 % |
| Transmission | 93 % | 85 % | 60 % | 58 % | 50 % | 23 % | 20 % |
| Suitable for | | | - | - | - | - | - |

| Blue blocker with POL 1 | BB 400 POL 1 | BB 450 POL 1 | BB 470 POL 1 | BB 511 POL 1 | BB 527 POL 1 | BB 550 POL 1 | BB 585 POL 1 |
|-------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Filter category | 2 | 2 | 2 | 2 | 3 | 3 | 4 |
| Tint | 64 % | 70 % | 80% | 80 % | 85 % | 88 % | 93% |
| Transmission | 36 % | 30 % | 20 % | 20 % | 15% | 12% | 7% |
| Suitable for | | | - | - | - | - | - |

| Blue blocker with POL 3 | BB 400 POL 3 | BB 450 POL 3 | BB 470 POL 3 | BB 511 POL 3 | BB 527 POL 3 | BB 550 POL 3 | BB 585 POL 3 |
|-------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Filter category | 3 | 3 | 3 | 3 | 4 | 4 | 4 |
| Tint | 84 % | 87 % | 92% | 91 % | 93 % | 96 % | 97 % |
| Transmission | 16% | 13% | 8 % | 9 % | 7 % | 4 % | 3 % |
| Suitable for | | | - | - | - | - | - |

Caption:





LifeLine series - FILTER COVER 2

These blue blocking/comfort filter spectacles are worn over correction eyewear and are ideal for outdoor activities.

- Maximum protection against light and wind
- Side protection minimises glare
- Semi-transparent side windows in matching frame colour ensure unhindered vision
- Extremely lightweight thanks to polymer lenses
- Blue blocking/comfort filter lenses (optional with additional 65% POL1 or 85% POL3) provide excellent light protection, improve contrast vision and prevent retinal damage ideal for different eye conditions
- Soft-edged frame in 2 lens sizes
- Optionally available with AR coating applied to the back surface of the lens (B-AR)
- Also available with prescription lenses (base curve 4)





Material: Polymer Colour: Black, brown Frame sizes: 56-15, 59-15

Base curve 4

Supplied with protective case

| • | | | | | | | |
|----------------|-----------------|----------------|------------------|-------------------------|-------------------------|-----------------------|------------------------|
| FILTER COVER 2 | CF LED | CF C1 | CF C500 | CF MIGRAINE 22 | CF MIGRAINE 37 | CF CATARACT Indoor | CF CATARACT Outdoor |
| Black / size S | IMP392001 | IMP392002 | IMP392003 | IMP392004 | IMP392005 | IMP392007 | IMP392008 |
| Black / size M | IMP392181 | IMP392182 | IMP392183 | IMP392184 | IMP392185 | IMP392187 | IMP392188 |
| Brown / size S | IMP392091 | IMP392092 | IMP392093 | IMP392094 | IMP392095 | IMP392097 | IMP392098 |
| Brown / size M | IMP392271 | IMP392272 | IMP392273 | IMP392274 | IMP392275 | IMP392277 | IMP392278 |
| FILTER COVER 2 | CF LED POL 1 | CF C1 POL 1 | CF C500 POL 1 | CF MIGRAINE 22 POL 1 | CF MIGRAINE 37 POL 1 | | |
| Black / size S | IMP392031 | IMP392032 | IMP392033 | IMP392034 | IMP392035 | | |
| Black / size M | IMP392211 | IMP392212 | IMP392213 | IMP392214 | IMP392215 | | |
| Brown / size S | IMP392121 | IMP392122 | IMP392123 | IMP392124 | IMP392125 | | |
| Brown / size M | IMP392311 | IMP392312 | IMP392313 | IMP392314 | IMP392315 | | |
| | | | | | | | |

| FILTER COVER 2 | CF LED POL 3 | CF C1 POL 3 | CF C500 POL 3 | CF MIGRAINE 22 POL 3 | CF MIGRAINE 37 POL 3 |
|----------------|-----------------|----------------|------------------|-------------------------|-------------------------|
| Black / size S | IMP392061 | IMP392062 | IMP392063 | IMP392064 | IMP392065 |
| Black / size M | IMP392241 | IMP392242 | IMP392243 | IMP392244 | IMP392245 |
| Brown / size S | IMP392150 | IMP392151 | IMP392152 | IMP392153 | IMP392154 |
| Brown / size M | IMP392341 | IMP392342 | IMP392343 | IMP392344 | IMP392345 |

| FILTER COVER 2 | BB 400 | BB 450 | BB 470 | BB 511 | BB 527 | BB 550 | BB 585 |
|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Black / size S | IMP392009 | IMP392010 | IMP392011 | IMP392012 | IMP392013 | IMP392014 | IMP392015 |
| Black / size M | IMP392189 | IMP392190 | IMP392191 | IMP392192 | IMP392193 | IMP392194 | IMP392195 |
| Brown / size S | IMP392099 | IMP392100 | IMP392101 | IMP392102 | IMP392103 | IMP392104 | IMP392105 |
| Brown / size M | IMP392279 | IMP392280 | IMP392281 | IMP392282 | IMP392283 | IMP392284 | IMP392285 |

| FILTER COVER 2 | BB 400 POL 1 | BB 450 POL 1 | BB 470 POL 1 | BB 511 POL 1 | BB 527 POL 1 | BB 550 POL 1 | BB 585 POL 1 |
|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Black / size S | IMP392037 | IMP392038 | IMP392039 | IMP392040 | IMP392041 | IMP392042 | IMP392043 |
| Black / size M | IMP392217 | IMP392218 | IMP392219 | IMP392220 | IMP392221 | IMP392222 | IMP392223 |
| Brown / size S | IMP392127 | IMP392128 | IMP392129 | IMP392130 | IMP392131 | IMP392132 | IMP392133 |
| Brown / size M | IMP392317 | IMP392318 | IMP392319 | IMP392320 | IMP392321 | IMP392322 | IMP392323 |

| FILTER COVER 2 | BB 400 POL 3 | BB 450 POL 3 | BB 470 POL 3 | BB 511 POL 3 | BB 527 POL 3 | BB 550 POL 3 | BB 585 POL 3 |
|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Black / size S | IMP392067 | IMP392068 | IMP392069 | IMP392070 | IMP392071 | IMP392072 | IMP392073 |
| Black / size M | IMP392247 | IMP392248 | IMP392249 | IMP392250 | IMP392251 | IMP392252 | IMP392253 |
| Brown / size S | IMP392156 | IMP392157 | IMP392158 | IMP392159 | IMP392160 | IMP392161 | IMP392162 |
| Brown / size M | IMP392347 | IMP392348 | IMP392349 | IMP392350 | IMP392351 | IMP392352 | IMP392353 |

LifeLine series - FILTER COVER 3

These blue blocking/comfort filter spectacles are worn over correction eyewear and are ideal for outdoor activities.

- Maximum protection against light and wind
- Side protection minimises glare
- Semi-transparent side windows in matching frame colour ensure unhindered vision
- Extremely lightweight thanks to polymer lenses
- Blue blocking/comfort filter lenses (optional with additional 65% POL1 or 85% POL3) provide excellent light protection, improve contrast vision and prevent retinal damage - ideal for different eye conditions
- Straight-edged frame in 2 lens sizes
- Optionally available with AR coating applied to the back surface of the lens (B-AR)
- Also available with prescription lenses (base curve 4)





Colour: Black, brown Frame sizes: 62-15, 65-17

Base curve 4

Supplied with protective case

| FILTER COVER 3 | CF LED | CF C1 | CF C500 | CF MIGRAINE 22 | CF MIGRAINE 37 | CF CATARACT Indoor | CF CATARACT Outdoor |
|-----------------|-----------------|----------------|------------------|-------------------------|-------------------------|-----------------------|------------------------|
| Black / size L | IMP392371 | IMP392372 | IMP392373 | IMP392374 | IMP392375 | IMP392377 | IMP392378 |
| Black / size XL | IMP392551 | IMP392552 | IMP392553 | IMP392554 | IMP392555 | IMP392557 | IMP392558 |
| Brown / size L | IMP392461 | IMP392462 | IMP392463 | IMP392464 | IMP392465 | IMP392467 | IMP392468 |
| Brown / size XL | IMP392641 | IMP392642 | IMP392643 | IMP392644 | IMP392645 | IMP392647 | IMP392648 |
| FILTER COVER 3 | CF LED POL 1 | CF C1 POL 1 | CF C500 POL 1 | CF MIGRAINE 22 POL 1 | CF MIGRAINE 37 POL 1 | | |
| Black / size L | IMP392401 | IMP392402 | IMP392403 | IMP392404 | IMP392405 | | |
| Black / size XL | IMP392581 | IMP392582 | IMP392583 | IMP392584 | IMP392585 | | |
| Brown / size L | IMP392491 | IMP392492 | IMP392493 | IMP392494 | IMP392495 | | |
| Brown / size XL | IMP392671 | IMP392672 | IMP392673 | IMP392674 | IMP392675 | | |

| FILTER COVER 3 | CF LED POL 3 | CF C1 POL 3 | CF C500 POL 3 | CF MIGRAINE 22 POL 3 | CF MIGRAINE 37 POL 3 |
|-----------------|-----------------|----------------|------------------|-------------------------|-------------------------|
| Black / size L | IMP392431 | IMP392432 | IMP392433 | IMP392434 | IMP392435 |
| Black / size XL | IMP392611 | IMP392612 | IMP392613 | IMP392614 | IMP392615 |
| Brown / size L | IMP392521 | IMP392522 | IMP392523 | IMP392524 | IMP392525 |
| Brown / size XL | IMP392701 | IMP392702 | IMP392703 | IMP392704 | IMP392705 |

| FILTER COVER 3 | BB 400 | BB 450 | BB 470 | BB 511 | BB 527 | BB 550 | BB 585 |
|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Black / size L | IMP392379 | IMP392380 | IMP392381 | IMP392382 | IMP392383 | IMP392384 | IMP392385 |
| Black / size XL | IMP392559 | IMP392560 | IMP392561 | IMP392562 | IMP392563 | IMP392564 | IMP392565 |
| Brown / size L | IMP392469 | IMP392470 | IMP392471 | IMP392472 | IMP392473 | IMP392474 | IMP392475 |
| Brown / size XL | IMP392649 | IMP392650 | IMP392651 | IMP392652 | IMP392653 | IMP392654 | IMP392655 |

| FILTER COVER 3 | BB 400 POL 1 | BB 450 POL 1 | BB 470 POL 1 | BB 511 POL 1 | BB 527 POL 1 | BB 550 POL 1 | BB 585 POL 1 |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Black / size L | IMP392407 | IMP392408 | IMP392409 | IMP392410 | IMP392411 | IMP392412 | IMP392413 |
| Black / size XL | IMP392587 | IMP392588 | IMP392589 | IMP392590 | IMP392591 | IMP392592 | IMP392593 |
| Brown / size L | IMP392497 | IMP392498 | IMP392499 | IMP392500 | IMP392501 | IMP392502 | IMP392503 |
| Brown / size XL | IMP392677 | IMP392678 | IMP392679 | IMP392680 | IMP392681 | IMP392682 | IMP392683 |

| FILTER COVER 3 | BB 400 POL 3 | BB 450 POL 3 | BB 470 POL 3 | BB 511 POL 3 | BB 527 POL 3 | BB 550 POL 3 | BB 585 POL 3 |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Black / size L | IMP392437 | IMP392438 | IMP392439 | IMP392440 | IMP392441 | IMP392442 | IMP392443 |
| Black / size XL | IMP392617 | IMP392618 | IMP392619 | IMP392620 | IMP392621 | IMP392622 | IMP392623 |
| Brown / size L | IMP392527 | IMP392528 | IMP392529 | IMP392530 | IMP392531 | IMP392532 | IMP392533 |
| Brown / size XL | IMP392707 | IMP392708 | IMP392709 | IMP392710 | IMP392711 | IMP392712 | IMP392713 |

IV PROSHIELD Fit-Over

For use over corrective spectacles.

- Black matt PC polymer frame in size 63-12
- Grey tinted PC polymer side windows
- PC polymer filter lenses
- Frame size and filter number printed inside temple
- Supplied with cloth pouch
- Made in Sweden








IV PROSHIELD Wrap-Around

For use without corrective spectacles.

- Black matt PC polymer frame in size 61-17
- PC polymer filter lenses
- Frame size and filter number printed inside temple
- Supplied with cloth pouch
- Made in Sweden









Visually impaired people frequently express the desire to be able to watch TV and to read newspapers, bank statements, telephone directories or drug package inserts, for example.

Consequently, maintaining or restoring reading ability is essential when it comes to magnifying aids. Telescopic systems are a possible solution to this challenge, since they enable both near and distance viewing.

Telescopes with a magnification power of up to 6x can be mounted on a frame to create hands-free telescopic spectacles. For higher magnification strengths, hand-held monocular telescopes are also available.

Contents

| Galilean telescopes | 42 |
|------------------------------|----|
| Keplerian telescopes | 44 |
| Telescope frames | 45 |
| Frame mounting of telescopes | 46 |
| Monoculars | 47 |

Galilean telescopes

Small and lightweight fixed focus Galilean telescope with multi-coated lenses in an aluminium housing.

- Two groups of computer-optimised lenses with multilayer AR coating
- Designed for mounting in a frame, lock ring included
- Ideal for SCHWEIZER telescope frames as shown on page 45
- Factory-set to infinite focal distance; front caps for intermediate (e.g. TV) and close distances (e.g. reading) available
- Refractive errors can be corrected with a lens mounted on the system's ocular side (Ø 22 mm). Adjustment to the working distance possible with the same corrective lens
- Calculation of the required plus lens power for adjusting the focal distance by multiplying the system magnification by itself and dividing the result by the focal distance required in metres
- Binocular use for close working distances possible with special mounting lenses



Front caps

Front caps for intermediate (e.g. TV) and close distances (e.g. reading).

- Basic front cap snaps into place with audible click for firm hold
- Optional Add-on front caps can be combined with Basic front caps to provide higher magnification and variable working distances. Add-on front caps flip up easily when not in use
- Combined use of Basic and Add-on front cap creates an aplanatic front cap without spherical aberrations
- Different working distances ranging from 200 to 4.17 cm can be combined
- Calculation of the working distance based on the system's pre-set infinite focal distance by dividing 1 by the D power of the front cap(s). The close distance magnification is the system magnification multiplied with one quarter of the D power of the front cap(s)



Binocular use of Galilean telescopes

Mounting lens for binocular use with the relevant convergence.

- Mounting lens packed in pairs with mounting adapters for corrective lenses
- Mounting lens made from PMMA (Plexiglas®)













Keplerian telescopes

Small and lightweight focusable Keplerian telescope.

- Multi-coated achromatic precision optics
- Focusable from infinity to near distance
- Designed for mounting in a frame, 2 lock rings included
- Optional adapter allows use of front caps of SCHWEIZER Galilean telescopes for intermediate and close working distances
- Ideal for SCHWEIZER telescope frames as shown on pages 45

Application tip

SCHWEIZER Keplerian systems can be focused to different working or reading distances as required. Furthermore, they offer the following application options:

Application with focus stop ring

The eye care professional adjusts the telescope focus to the desired distance, e.g. for watching TV, and fastens the focus stop ring on the housing to act as a stopper.

For closer working distances, the visually impaired person can still turn the objective lens outwards until the image is crisp and clear. Turning the objective lens back until the stopper is reached, refocuses the telescope for the original application, such as watching TV.

Application with fixed focus

The eye care professional adjusts the telescope focus to the desired distance, e.g. for watching TV, and locks this setting using the locking screws in the housing. For close working distances, the front caps of SCHWEIZER Galilean telescopes can be used with an adapter.

It is recommended to use fixed focus systems for visually impaired people who lack the necessary fine motor skills.





Distance magnification 3x, near magnification approx. 4.5x at 22 cm Field of view 12.5°, objective Ø 9 mm, 23 g

Silver black metal housing

931945 Kepler 4x10

Distance magnification 4x, near magnification approx. 5.5x at 22 cm Field of view 10.0° , objective Ø 10 mm, 25 g Silver black metal housing

931955 Kepler 4x12

Distance magnification 4x, near magnification approx. 5.5x at 20 cm Field of view 12.5°, objective Ø 12 mm, 42 g Silver black metal housing

932165 Kepler 6x16

Distance magnification 6x, near magnification approx.11.0x at 26 cm Field of view 10.0°, objective Ø 16 mm, 77 g Black metal housing



| Accessorie | Accessories | | | | | | |
|------------------------|-------------------------------------|--|--|--|--|--|--|
| 932525 | Focus stop ring suitable for 3x9 | | | | | | |
| 932555 | Focus stop ring suitable for 4 x 10 | | | | | | |
| 932505 | Focus stop ring suitable for 4 x12 | | | | | | |
| 938025 | Adapter for Basic front caps | | | | | | |
| Suitable for | 3x9, 4x10 | | | | | | |
| 932535 Suitable for | Adapter for Basic front caps 4x12 | | | | | | |

Titanium telescope frames with variable saddle bridge system

Only special telescope frames designed for a perfect anatomic fit ensure the ideal function and efficient use of telescopic spectacles.

- Material: 100% titanium, welded, hypoallergenic, solder-free, screws and saddle bridge insert made from stainless steel
- Weight: 16 g
- Temple: Golf temple 145 mm, easy to shorten, silicone-coated plastic temple ends, common sport temple ends mountable
- Adjustable saddle bridge, flat saddle bridge for reduced back vertex distance BVD included
- Meets the technical and medical requirements for listed aids of the compulsory health insurance in Germany
- Unisex: style and colouring suitable for men and women alike





Plaese note:

In most cases a large back vertex distance BVD is necessary for telescopic spectacles. SCHWEIZER telescope frames are designed accordingly. However, if needed, the BVD of the titanium telescope frames with variable saddle bridge systems can be reduced by 3 mm. For this purpose, a **flat saddle bridge** (included) can be mounted. This is a fast and easy way to react to different optical and anatomic conditions.



Box of mounting parts

This box contains all mounting parts required for mounting a telescope in a frame: trial frame adapters, lock ring mounting tool, mounting lens with and without mounting hole made from CR39 (3 pieces each), set of washers, adapters for corrective lens, spare lock rings, penlight, titanium telescope frame.



| 932765 | Mounting lens with mounting hole |
|-------------|---|
| | k, CR39, Ø 80 mm, pack of 2 pieces |
| 932865 | Mounting lens without mounting hole |
| 3 mm thick | k, CR39, Ø 80 mm, pack of 2 pieces |
| 932855 | Mounting lens without mounting hole, frosted |
| 3 mm thick | k, CR39, Ø 80 mm, 1 piece |
| 932715 | Washer 0.5 mm thick |
| Pack of 6 p | pieces |
| 932725 | Washer 1.0 mm thick |
| Pack of 6 p | pieces |
| 932735 | Washer 2.0 mm thick |
| Pack of 6 p | pieces |
| 932745 | Set of washers |
| 6 pieces ea | ach of 0.5 mm, 1.0 mm and 2.0 mm thickness |
| 932775 | Aluminium adapter for corrective lens (Ø 22 mm) |
| Pack of 2 p | pieces |
| 932785 | Aluminium spare lock ring |
| Pack of 2 p | pieces |
| 936305 | Penlight |





Hand-held Keplerian telescope

- Multi-coated achromatic precision optics
- Fold-down rubber eyecup for spectacle wearers to correct BVD
- Ideal for retaining individual mobility (ability to see street signs, train or bus schedules, price tags, etc.)
- Small and handy
- Focusable from infinity to near distance
- Soft case and neck cord included
- Use as a hand microscope with the acrylic stand, which can also be used separately as a 3x stand magnifier



931965 Monocular 4x12

Distance magnification 4x, near magnification approx. 5.5 x at 20 cm Field of view 12.5°, objective Ø 12 mm, 53 g Silver black metal housing

931975 Monocular 6x16

Distance magnification 6x (20x with acrylic stand) Near magnification approx. 11.0 x at 26 cm Field of view 10.0°, objective Ø 16 mm, 80 g Silver black metal housing

931985 Monocular 8x20

Distance magnification 8x (25x with acrylic stand) Near magnification approx. 17.5 x at 30 cm Field of view 7.0°, objective Ø 20 mm, 77 g Silver black metal housing

931995 Monocular 8x30

Distance magnification $8 \times (25 \times \text{with acrylic stand})$ Near magnification approx. $13.5 \times \text{at } 60 \text{ cm}$ Field of view 8.5° , objective Ø 30 mm, 159 gBlack metal housing

933025 Monocular 10x20

Distance magnification 10x (30x with acrylic stand) Near magnification approx. 18.5x at 27 cm Field of view 6.0° , objective Ø 20 mm, 84 g Black metal housing

933035 Monocular 10x30

Distance magnification 10x (30x with acrylic stand) Near magnification approx. 15.0 x at 70 cm Field of view 6.0°, objective Ø 30 mm, 172 g Black metal housing

Telescopes – Monoculars 47

Transparent acrylic stand

Can be used separately as a 3x stand magnifier or screwed onto monoculars. When combined with a monocular (6x16, 8x20, 8x30, 10x20 und 10x30), it acts as a hand microscope with 20x, 25x, or 30x magnification.



Finger ring

Facilitates holding a prism monocular during outdoor orientation.



Extender

Multi-functional aid for mobile use. Comfortable viewing thanks to steady and brilliant image.

- Easy to use hand-held telescope (similar to a 2x fixed focus telescope) with a large depth of field
- Inverting the extender doubles the field of vision ideal for tunnel vision and retinitis pigmentosa (RP)
- Textured grip ensures excellent feel
- Fold-down rubber eyecup for spectacle wearers to correct BVD
- Convenient lanyard loop (lanyard included)



48 Telescopes – Monoculars





Assessment charts help eye care professionals systematically detect and treat vision disorders. These indispensable tools have been specifically designed for low vision assessment and are all supplied with quick start guides.

Reading stands holding books or newspapers enable visually impaired people to read in a comfortable and relaxed position.


Contents

| Vision tests | 50 |
|----------------|----|
| Reading stands | 51 |

SZB Bailey-Lovie chart set

Set of 2 panels with logarithmic progression of optotypes

- 5 optotypes per visual acuity level
- Suitable for use at any viewing distance
- Panel 1 for measuring distance visual acuity at normal contrast
- Panel 2 for measuring distance visual acuity at low contrast
- Dimensions: 56x65 cm (WxH)



Near vision reading test set

Up-to-date test in logarithmic layout according to DIN 58220 and ISO 8596.


- Test chart consists of unrelated sentences in different letter sizes
- Notation below the smallest print the patient can still read fluently indicates the magnification required for reading newsprint.
- Amsler grid test is included in the set



Amsler grid test

The Amsler grid test for detecting and monitoring symptoms of macular degeneration is straightforward to administer.

■ Printed on sturdy paper for ease of use



50 Miscellaneous – Vision tests

Reading stands

For holding newspapers or books so that people with low vision can sit in a comfortable position while reading.


Standard reading stand

- Large surface with a size of 37.5 x 50 cm
- Solid and easy to use
- Designed not to slip on a table surface
- Inclination adjustable in multiple steps
- Natural wood

Economic reading stand

- Surface with a size of 32 x 28 cm and a fixed inclination of 23°
- White plastic
- Pack of 2 pieces







SCHWEIZER headquarters in Forchheim / Germany with a production area of 5500 m².

SCHWEIZER – expert knowledge since 1840

SCHWEIZER boasts Europe's largest and most innovative range of low vision solutions. All lenses, illuminated magnifiers, low vision lamps and other products are made in Germany.

Turn our knowledge into your success and benefit from a reliable partner who offers product development, production expertise, bespoke support and professional training from a single source. This will give you the competitive edge to grow your business and offer product solutions tailored to the needs of visually impaired people.

